


Jacketing Systems

Multilayer Aluminum Fittings



Material: Multilayer foil with aluminum and UV equipment

Foil thickness: 0,18 - 0,6 mm (depending on form part)

Color: metal-look

Other properties: UV-resistance

Benefits

- Mechanical abuse
- UV resistance
- High impact strength
- No splintering during riveting
- High stiffness
- High chemical resistance
- Free of smell
- Free of PVC-softener
- No risk of corrosion
- Suitable for technical applications also in food processing plants
- Low weight
- Made without CFC and HCFC's
- Made without using of silicones
- Made without using of heavy metals Cd, Pb, CrIv
- No flaming droplets in case of fire
- Easy of processing, high assembly performance

The Origin Material

Properties	Technical Data
Specific gravity	648 / 788 / 992 g/m ³
Foil thickness	470 / 570 / 720 µm
Tensile Strength MD	318 / 367 / 494 N/15mm ISO 527-3
Water vapor transmittance	< 0,20 g/m ² /d ISO 15106-2
LOI (Limiting Oxygen Index)	27,5 / 27,5 / 30 %O ₂ ISO 4589
Temperature resistance	-25 to +50 °C

The mentioned values are these which have been measured in our laboratory, under typical conditions. They can be modified without prior notice. You are kindly requested to assert their validity before any special use.

ISOPIPE® S.A.

www.isopipe.eu

GREECE
Head Office:
 Nafpliou & Daskalogianni
 144 52 Metamorfofi Attikis
 T.: +30 210 28 28 603
 F.: +30 210 28 19 210
 E.: export@isopipe.gr

Plant:
 73rd km Nat. Road Athens - Lamia
 341 00 Ritsona Halkida
 T.: +30 22620 89 800
 F.: +30 22620 72 006
 E.: export@isopipe.gr

SPAIN
Barcelona:
 C/ Costa l Deu 71 - 79 (esq. C/ Tamarit)
 08205, Sabadell, Barcelona, España

Madrid:
 Calle Pedro Duque, 5,
 Poligono Industrial GITESA,
 28.814- Daganzo de Arriba (Madrid),
 Madrid Community

T.: +34 93 879 1195
 F.: +34 93 879 1313
 E.: pedidos@isopipe.es

UNITED KINGDOM
Head Office:
 178 Seven Sisters Road
 London N7 7PX
 United Kingdom

Warehouse:
 Airfield Industrial Estate Warboys,
 Huntingdon
 Cambridgeshire PE28 2SH
 United Kingdom

T: +30 210 28 28 603
 E: orders@isopipe.eu